



File No: Proposal No : SIA/MH/INFRA2/558192/2025
Government of India
Ministry of Environment, Forest and Climate Change
(Issued by the State Environment Impact Assessment
Authority(SEIAA), MAHARASHTRA)



Date 13/02/2026



To,

Mudit Kankariya
SAHYOG HOMES LIMITED
321, Morya Estate, New Link road, Opp. Infinity Mall. Andheri West. Mumbai , MUMBAI
SUBURBAN, MAHARASHTRA, , 400053
sachin.pawar@sahyoghomes.com

Subject: Grant of prior Environmental Clearance (EC) to the proposed project under the provision of the EIA Notification 2006 -regarding.

Sir/Madam,

This is in reference to your application submitted to SEIAA vide proposal number SIA/MH/INFRA2/558192/2025 dated 18/11/2025 for grant of prior Environmental Clearance (EC) to the proposed project under the provision of the EIA Notification 2006 and as amended thereof.

2. The particulars of the proposal are as below :

- | | |
|---|---|
| (i) EC Identification No. | EC25B3812MH5834459N |
| (ii) File No. | Proposal No : SIA/MH/INFRA2/558192/2025 |
| (iii) Clearance Type | Fresh EC |
| (iv) Category | B1 |
| (v) Project/Activity Included Schedule No. | 8(b) Townships/ Area Development Projects / Rehabilitation Centres
Proposed Expansion in residential project under SR Scheme on plot bearing CTS No. 1A(pt) S.No. no.41(pt), 45(pt),47(pt),49 (pt), 50,51,52, 53 (pt), 54(pt), 55(pt), 69(pt),70(pt),73(pt),74, 294 A, 297, 298, 299,300,301,302,303,304,305,306,307,308,309, 310(pt), 311,313,314,315,316, 317,318,319,320, 321/1/A/1 of village- Oshiwara, Jogeshwari (W), for Samadhan CHS and others CHS |
| (vii) Name of Project | SAHYOG HOMES LIMITED |
| (viii) Name of Company/Organization | MUMBAI SUBURBAN, MAHARASHTRA |
| (ix) Location of Project (District, State) | SEIAA |
| (x) Issuing Authority | |

Plot/Survey Khasra Nos.:

3. In view of the particulars given in the Para 1 above, the project proposal interalia including Form-1(Part A, B and C)/ EIA & EMP Reports were submitted to the SEIAA for an appraisal by the SEIAA under the provision of EIA notification 2006 and its subsequent amendments.
4. The above-mentioned proposal has been considered by SEIAA in the meeting held on . The minutes of the meeting and all the project documents are available on PARIVESH portal which can be accessed from the PARIVESH portal by scanning the QR Code above or through the following web link [click here](#).
5. The brief about configuration of products and byproducts as submitted by the Project Proponent in Form-1 (Part A, B and C)/ EIA & EMP Reports / presented during SEIAA are annexed to this EC as Annexure (1).
6. The SEIAA, in its meeting held on , based on information submitted viz: Form 1 (Part A, B and C), EIA/EMP report etc & clarifications provided by the project proponent and after detailed deliberations on all technical aspects and public hearing issues and compliance thereto furnished by the Project Proponent, recommended the proposal for grant of Environment Clearance under the provision of EIA Notification, 2006 and as amended thereof subject to compliance of Specific and Standard EC conditions as given in this letter.
7. The SEIAA has examined the proposal in accordance with the provisions contained in the Environment Impact Assessment (EIA) Notification, 2006 & further amendments thereto and based on the recommendations of the State Environment Impact Assessment Authority(SEIAA) Appraisal Committee hereby accords Environment Clearance to the instant proposal of M/s. Mudit Kankariya under the provisions of EIA Notification, 2006 and as amended thereof subject to compliance of the Specific and Standard EC conditions as given in Annexure (1)
8. The Ministry reserves the right to stipulate additional conditions, if found necessary.
9. The Environmental Clearance to the aforementioned project is under provisions of EIA Notification, 2006. It does not tantamount to approvals/consent/permissions etc. required to be obtained under any other Act/Rule/regulation. The Project Proponent is under obligation to obtain approvals /clearances under any other Acts/ Regulations or Statutes, as applicable, to the project.
10. The Project Proponent is under obligation to implement commitments made in the Environment Management Plan, which forms part of this EC.
11. General Instructions:
 - (a) The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEF&CC/SEIAA website where it is displayed.
 - (b) The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
 - (c) The project proponent shall have a well laid down environmental policy duly approved by the Board of Directors (in case of Company) or competent authority, duly prescribing standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions.
 - (d) Action plan for implementing EMP and environmental conditions along with responsibility matrix of the project proponent (during construction phase) and authorized entity mandated with compliance of conditions (during operational phase) shall be prepared. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Six monthly progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six-Monthly Compliance Report.
 - (e) Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
 - (f) The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.

(g) Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

12. This issues with the approval of the Competent Authority

Annexure 1

Specific EC Conditions for (Townships/ Area Development Projects / Rehabilitation Centres)

1. Specific Condition

S. No	EC Conditions																				
1.1	<table> <tr> <th>Sr. No.</th><th>Conditions</th></tr> <tr> <td>1.</td><td>PP to obtain IOD/IOA/Concession Document/Plan Approval or any other form of documents as applicable clarifying its conformity with local planning rules and provisions as per the Circular dated 30.01.2014 issued by the Environment Department, Govt. of Maharashtra showing all required RG area as per prevailing Hon'ble Supreme Court Order.</td></tr> <tr> <td>2.</td><td>PP to submit an undertaking signed by PP, Consultant and architect certifying that there is no violation of requirement of EIA notification 2006, amended from time to time</td></tr> <tr> <td>3.</td><td>PP to obtain (i) SWD NOC, (ii) Revise Civil Aviation NOC, (iii) Revise Tree NOC, (iv) Revise Water NOC for sale Building. PP Shall obtain all other relevant NOCs from the Competent Authority required for the Proposed Project. The planning authority shall not grant an Occupation certificate unless the applicant obtains all NOCs.</td></tr> <tr> <td>4.</td><td>PP to complete compensatory tree plantation in lieu of tree cutting/transplantation as mentioned in the tree NOC before actual cutting/transplantation of trees as per the Hon'ble High Court W. P. No. 3727 Of 2025.</td></tr> <tr> <td>5.</td><td>PP to provide on line air quality monitoring system along with provision of legible display board (Digital) of air quality status on 24x7 basis and include cost in EMP</td></tr> <tr> <td>6.</td><td>PP to ensure to achieve the standard parameters of the treated sewage as per order issued by the Hon'ble National Green tribunal on 30.04.2019. PP also to ensure that, the water proposed to be used for construction activities (within or outside premises) /public gardens/road medians etc. shall be strictly for non-potable purpose and after obtaining necessary permission from the competent authority.</td></tr> <tr> <td>7.</td><td>All guidelines issued by the local planning authority, MPCB/CPCB shall be followed to reduce /control air pollution due to proposed activity by way of providing adequate barricading, foggers, water sprinkling.</td></tr> <tr> <td>8.</td><td>PP to complete tree plantation within the site during construction phase.</td></tr> <tr> <td>9.</td><td>PP to dispose all e-waste as per E-Waste Management Rules, 2016 and 2022 amended from time to time.</td></tr> </table>	Sr. No.	Conditions	1.	PP to obtain IOD/IOA/Concession Document/Plan Approval or any other form of documents as applicable clarifying its conformity with local planning rules and provisions as per the Circular dated 30.01.2014 issued by the Environment Department, Govt. of Maharashtra showing all required RG area as per prevailing Hon'ble Supreme Court Order.	2.	PP to submit an undertaking signed by PP, Consultant and architect certifying that there is no violation of requirement of EIA notification 2006, amended from time to time	3.	PP to obtain (i) SWD NOC, (ii) Revise Civil Aviation NOC, (iii) Revise Tree NOC, (iv) Revise Water NOC for sale Building. PP Shall obtain all other relevant NOCs from the Competent Authority required for the Proposed Project. The planning authority shall not grant an Occupation certificate unless the applicant obtains all NOCs.	4.	PP to complete compensatory tree plantation in lieu of tree cutting/transplantation as mentioned in the tree NOC before actual cutting/transplantation of trees as per the Hon'ble High Court W. P. No. 3727 Of 2025.	5.	PP to provide on line air quality monitoring system along with provision of legible display board (Digital) of air quality status on 24x7 basis and include cost in EMP	6.	PP to ensure to achieve the standard parameters of the treated sewage as per order issued by the Hon'ble National Green tribunal on 30.04.2019. PP also to ensure that, the water proposed to be used for construction activities (within or outside premises) /public gardens/road medians etc. shall be strictly for non-potable purpose and after obtaining necessary permission from the competent authority.	7.	All guidelines issued by the local planning authority, MPCB/CPCB shall be followed to reduce /control air pollution due to proposed activity by way of providing adequate barricading, foggers, water sprinkling.	8.	PP to complete tree plantation within the site during construction phase.	9.	PP to dispose all e-waste as per E-Waste Management Rules, 2016 and 2022 amended from time to time.
Sr. No.	Conditions																				
1.	PP to obtain IOD/IOA/Concession Document/Plan Approval or any other form of documents as applicable clarifying its conformity with local planning rules and provisions as per the Circular dated 30.01.2014 issued by the Environment Department, Govt. of Maharashtra showing all required RG area as per prevailing Hon'ble Supreme Court Order.																				
2.	PP to submit an undertaking signed by PP, Consultant and architect certifying that there is no violation of requirement of EIA notification 2006, amended from time to time																				
3.	PP to obtain (i) SWD NOC, (ii) Revise Civil Aviation NOC, (iii) Revise Tree NOC, (iv) Revise Water NOC for sale Building. PP Shall obtain all other relevant NOCs from the Competent Authority required for the Proposed Project. The planning authority shall not grant an Occupation certificate unless the applicant obtains all NOCs.																				
4.	PP to complete compensatory tree plantation in lieu of tree cutting/transplantation as mentioned in the tree NOC before actual cutting/transplantation of trees as per the Hon'ble High Court W. P. No. 3727 Of 2025.																				
5.	PP to provide on line air quality monitoring system along with provision of legible display board (Digital) of air quality status on 24x7 basis and include cost in EMP																				
6.	PP to ensure to achieve the standard parameters of the treated sewage as per order issued by the Hon'ble National Green tribunal on 30.04.2019. PP also to ensure that, the water proposed to be used for construction activities (within or outside premises) /public gardens/road medians etc. shall be strictly for non-potable purpose and after obtaining necessary permission from the competent authority.																				
7.	All guidelines issued by the local planning authority, MPCB/CPCB shall be followed to reduce /control air pollution due to proposed activity by way of providing adequate barricading, foggers, water sprinkling.																				
8.	PP to complete tree plantation within the site during construction phase.																				
9.	PP to dispose all e-waste as per E-Waste Management Rules, 2016 and 2022 amended from time to time.																				

Annexure 2

Details of the Project

S. No.	Particulars	Details	
a.	Details of the Project	Proposed Expansion in residential project under SR Scheme on plot bearing CTS No. 1A(pt) S.No. no.41(pt), 45(pt),47(pt),49 (pt), 50,51,52, 53 (pt), 54(pt), 55(pt), 69(pt),70(pt),73(pt),74, 294 A, 297, 298, 299,300,301,302,303,304,305,306,307,308,309, 310(pt), 311,313,314,315,316, 317,318,319,320, 321/1/A/1 of village- Oshiwara, Jogeshwari (W), for Samadhan CHS and others CHS	
b.	Latitude and Longitude of the project site	19.14203916865689,72.8324275286811 19.14545734268512,72.83482000140171	
c.	Land Requirement (in Ha) of the project or activity	Nature of Land involved	Area in Ha
		Non-Forest Land (A)	3.8597
		Forest Land (B)	0
		Total Land (A+B)	3.8597
d.	Date of Public Consultation	Public consultation for the project was held on	
e.	Rehabilitation and Resettlement (R&R) involvement	NO	
f.	Project Cost (in lacs)	289155	
g.	EMP Cost (in lacs)	718	
h.	Employment Details		

Details of Products & By-products

Name of the product /By-product	Product / By-product	Existing	Proposed	Total	Unit	Mode of Transport / Transmission
Built Up Area	Product	376982.9	37648.42	414631.32	Sq.mtrs	Road
Built Up Area	Product	376982.9	37648.42	414631.32	Sq.mtrs	Road

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/INFRA2/558192/2025
Environment & Climate
Change Department
Room No. 217, 2nd Floor,
Mantralaya, Mumbai- 400032.

To
M/s. Sahyog Homes Ltd
CTS No. 1A(pt) S.No. no.41(pt), 45(pt),
47(pt),49 (pt), 50,51,52, 53 (pt), 54(pt), 55(pt),
69(pt),70(pt),73(pt),74, 294 A, 297, 298, 299, 300,
301, 302, 303, 304, 305,306,307,308,309, 310(pt),
311,313,314,315,316, 317,318,319,320, 321/1/A/1
of village- Oshiwara, Jogeshwari (W)

Subject :Environmental Clearance for Proposed Expansion in residential project under SR Scheme on plot bearing CTS No. 1A(pt) S.No. no.41(pt), 45(pt),47(pt),49 (pt), 50,51,52, 53 (pt), 54(pt), 55(pt), 69(pt),70(pt),73(pt),74, 294 A, 297, 298, 299, 300, 301, 302, 303, 304, 305,306,307,308,309, 310(pt), 311,313,314,315,316, 317,318,319,320, 321/1/A/1 of village- Oshiwara, Jogeshwari (W), for Samadhan CHS and others CHS

Reference : Application no. SIA/MH/INFRA2/558192/2025.

This has reference to your communication on the above-mentioned subject. The proposal was considered by the EAC-II in its 264th meeting under screening category 8 (b) B1 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 318th (Day-4) meeting of State Level Environment Impact Assessment Authority (SEIAA) held on 22nd January, 2026.

2. Brief Information of the project submitted by you is as below: -

Sr. No.	Description	Details	
1	Name of Project	Residential under slum rehabilitation scheme at village Oshiwara Jogeshwari (W) proposed by M/s. Sahyog Homes Ltd	
2	Project category	8(b)	
3	Type of Institution	Proprietor	
4	Project Proponent	Name	Mr. Rahul Rameshkumar Jain
		Regd. Off. Address	Sahyog Home Ltd, 321 Morya Estate, New Link Road, Opp Infinity Mall, Andheri West, Mumbai - 400053.
		Contact	09969113895
		e-mail	rj@sahyoghomes.com
5	Consultant	EIA Coordinator: Sourabh Jaiswar Pollution & Ecology Control Service NABET/EIA/2023/SA/0165 Validity till 15.01.2026.	

6	Applied for	Expansion				
7	Location of the project	CTS No.1 A (pt) survey no.41(pt), 45(pt), 47(pt), 49 (pt), 50, 51, 52, 53 (pt), 54(pt), 55(pt), 69(pt), 70(pt), 73(pt), 74, 294 A, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310(pt), 311, 313, 314, 315, 316, 317, 318, 319, 320, 321/1/A/1 of village-Oshiwara, Jogeshwari (W), for Samadhan CHS and others CHS				
8	Latitude and Longitude	19° 8' 35.78"N, and: 72° 50'1.77"E				
9	Plot Area (Sq.m.)	40,608.53				
10	Deductions (Sq.m.)	5472.33				
11	Net Plot area (Sq.m.)	35,136.20				
12	Ground coverage (m ²) & %	14595.57 & 41.54%				
13	FSI Area (Sq.m.)	1,96,803.72				
14	Non-FSI (Sq.m.)	2,17,827.60				
15	Proposed built-up area (FSI + Non FSI) (Sq.m.)	4,14,631.32				
16	TBUA (m ²) approved by Planning Authority till date	2,22,766.76 sq.m (as per IOA)				
17	Earlier EC details with Total Construction area, if any.	EC vide file no. SIA/MH/INFRA2/456299/2023 dated 09.10.2024 for TBUA: 3,76,982.90 sq.mt.				
18	Construction completed as per earlier EC (FSI + Non FSI) (sq.m.)	70,055.00 sq.m				
19	Previous EC / Existing Building		Proposed Configuration			Reason for Modification / Change
	Bldg Name	Configuration	Bldg Name	Configuration	Ht (m)	
	Rehab 1	B + G+ 39	Rehab 1	B+G+39	117.3	No Change
	Rehab 2	B + G+ 39	Rehab 2	B+G+39	117.6	
	Rehab 3	B + G+ 22	Rehab 3	B+G+22	68.0	
	Rehab 4	B + G+ 39	Rehab 4	B+G+39	119.95	
	Rehab 5	B + G+ 39	Rehab 5	-	-	
	T-2	4B + G + P + E Deck + 3 rd to 41	Sale T-2	4B+G+P+E Deck +3 rd to 40 th F	124.20	Modification
	T-3	4B + G + P + E Deck + 3 rd to 41	Sale T-3	4B+G+P+E Deck +3 rd to 40 th F	124.20	
	T-4	4B + G + P + E Deck + 3 rd to 41	Sale T-4	4B+G+P+E Deck +3 rd to 40 th F	124.20	
	T-5	4B + G + P + E Deck + 3 rd to 41	Sale T-5	4B+G+P+E Deck +3 rd to 40 th F	124.20	
	T-6	4B + G + P + E Deck + 3 rd to 41	Sale T-6	4B+G+P+E Deck +3 rd to 40 th F	124.20	
	T-7	4B + G + P + E Deck + 3 rd to 41	Sale T-7A	4B+G+P+E Deck +3 rd to 40 th F	124.20	
		Sale T-7B	4B+G+P+E Deck +3 rd to 39 th F	121.55	Added	
		Temple	Ganesh + Shiv + Hanuman Temple	9.00	Added	
20	No. of Tenements & Shops	Rehab: 2536, Commercial :245, Sale: 693				
21	Total Population	15049 Nos.				
22	Total Water Requirements CMD	1981.0 KLD				

23	Under Ground Tank Location	Basement level
24	Source of water	MCGM and Recycled Water
25	STP Capacity & Technology	Rehab – 400, 850 & 80 & Sale – 250 & 360 KLD MBBR Technology
26	STP Location	Basement Level
27	Sewage Generation CMD & % of sewage discharge in sewer line	1705 & 50.43%
28	Solid Waste Management during Construction Phase	Type
		Quantity (Kg/d)
		Treatment / disposal
29	Total Solid Waste Quantities with type during Operation Phase & Capacity of OWC to be installed	Dry waste
		Wet waste
		E-Waste
		STP Sludge
30	R.G. Area in sq.mt.	RG required – 2810.90 Sq. mt.
		RG provided on Mother earth- 2935.45 Sq. mt.
		RG provided on Podium – Nil
		Total – 2935.45 Sq.mt.
		Existing trees on plot: 02 No's
		Number of trees to be planted: 450 Nos.(RG and Periphery)
		Number of trees to be cut: 01 Nos.
		Number of trees to be transplanted: 01 Nos.
		Area Under Miyawaki Plantation and proposed trees: 150 Sq.mt with 450 No's
		Total no. of trees after development: 902 No's
31	Power requirement	Connected load (kW)
		Demand load (kW)
32	Energy Efficiency	a) Total Energy saving (%): 20.0%
		b) Solar energy (%): 5.00%
33	D.G. set capacity	1 # 1000 kVA & 630 kVA
34	No. of 4-W & 2-W Parking with 25% EV	4 Wheelers – 1747 No's + 510 No's (Rehab +Sale =2257)
35	No. & capacity of Rain water harvesting tanks /Pits	6 RWH tank with total capacity 535 cum
36	Project Cost in (Cr.)	Rs. 1500.0 Cr
37	EMP Cost	A. Construction Phase Capital: 49.53 Lakhs; OM: 29.17 Lakhs/Year B. Operation Phase Capital: 718.25 Lakhs; OM: 73.7 Lakhs/Year
38	CER Details with justification if any as per MoEF&CC circular dated 01/05/2018	NA
39	Details of Court Cases/litigations w.r.t the project and project location, if any.	None

The comparative statement of earlier EC and proposed amendment/ expansion as given by PP is as below,

S. No.	Particular	As per EC		Proposed		Remarks
1.	Plot area (sq mts)	38,597.34		40,608.53		Increased
2.	FSI area in sq mts)	1,87,332.19		1,96,803.72		Increased
3.	Non FSI area in sq mts	1,89,332.19		2,17,827.60		Increased
4.	Construction area	3,76,982.90		4,14,631.32		Increased
5.	No. of buildings	11		14		Increased
6.	Building configuration	Rehab 1	B+G+39	Rehab 1	B+G+39	No Change
		Rehab 2	B+G+39	Rehab 2	B+G+39	
		Rehab 3	B+G+22	Rehab 3	B+G+22	
		Rehab 4	B+G+39	Rehab 4	B+G+39	
		Rehab 5	B+G+39	-	-	Deleted
		Sale T-2	4B + G + P + E Deck +3 rd to 41	Sale T-2	4B+G+P+E Deck +3 RD to 40 TH F	Reduction of one floor
		Sale T-3	4B + G + P + E Deck +3 rd to 41	Sale T-3	4B+G+P+E Deck +3 RD to 40 TH F	
		Sale T-4	4B + G + P + E Deck +3 rd to 41	Sale T-4	4B+G+P+E Deck +3 RD to 40 TH F	
		Sale T-5	4B + G + P + E Deck +3 rd to 41	Sale T-5	4B+G+P+E Deck +3 RD to 40 TH F	
		Sale T-6	4B + G + P + E Deck +3 rd to 41	Sale T-6	4B+G+P+E Deck +3 RD to 40 TH F	
		Sale T-7	4B + G + P + E Deck +3 rd to 41	Sale T-7A	4B+G+P+E Deck +3 RD to 40 TH F	
				Sale T-7B	4B+G+P+E Deck +3 RD to 39 TH F	Addition
				Temple	Ganesh + Shiv + Hanuman Temple	Addition
7.	No. of Tenements	Rehab: 2423 Sale: 633		Rehab: 2536 Sale: 693		Increased
8.	No. of shops & Office	Commercial: 228		Commercial:245		Increased
9.	Green area/RG area in sq mts	RG : 2795.60 Sq.mt		RG: 2935.45 Sq.mt		As per DC Reg.
10.	Ground coverage %	66.88		41.54		Reduction
11.	Project cost (Cr.)	1391.55		1500.0		Increase in Cost
12.	Total water Requirement (KLD)	2182		1981		Decreased
13.	Sewage Generation (KLD)	2026		1705		Decreased
14.	Total Solid Waste (Kg/day)	9361		6642		Decreased
15.	Power Requirement	8146.0		13805.80		Increase

3. Proposal is an expansion of existing construction project. PP has obtained earlier EC vide Letter SIA/MH/INFRA2/456299/2023 dated 09.10.2024 for total BUA 3,76,982.90 Sq.m. Proposal has been considered by SEIAA in its 318th (Day-4) meeting held on 22nd January 2026 and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

SEAC Conditions-

1. PP to obtain IOD/IOA/Concession Document/Plan Approval or any other form of documents as applicable clarifying its conformity with local planning rules and provisions as per the Circular dated 30.01.2014 issued by the Environment Department, Govt. of Maharashtra showing all required RG area as per prevailing Hon'ble Supreme Court Order.
2. PP to submit an undertaking signed by PP, Consultant and architect certifying that there is no violation of requirement of EIA notification 2006, amended from time to time
3. PP to obtain (i) SWD NOC, (ii) Revise Civil Aviation NOC, (iii) Revise Tree NOC, (iv) Revise Water NOC for sale Building. PP Shall obtain all other relevant NOCs from the Competent Authority required for the Proposed Project. The planning authority shall not grant an Occupation certificate unless the applicant obtains all NOCs.
4. PP to complete compensatory tree plantation in lieu of tree cutting/transplantation as mentioned in the tree NOC before actual cutting/transplantation of trees as per the Hon'ble High Court W. P. No. 3727 Of 2025.
5. PP to provide on line air quality monitoring system along with provision of legible display board (Digital) of air quality status on 24x7 basis and include cost in EMP
6. PP to ensure to achieve the standard parameters of the treated sewage as per order issued by the Hon'ble National Green tribunal on 30.04.2019. PP also to ensure that, the water proposed to be used for construction activities (within or outside premises) /public gardens/road medians etc. shall be strictly for non-potable purpose and after obtaining necessary permission from the competent authority.
7. All guidelines issued by the local planning authority, MPCB/CPCB shall be followed to reduce /control air pollution due to proposed activity by way of providing adequate barricading, foggers, water sprinkling.
8. PP to complete tree plantation within the site during construction phase.
9. PP to dispose all e-waste as per E-Waste Management Rules, 2016 and 2022 amended from time to time.

SEIAA Conditions-

1. PP has provided mandatory RG area of 2810.90 m² on mother earth without any construction. Local planning authority to ensure the compliance of the same.
2. EC is restricted upto 117.20M height for Rehab 4 building and 121.20M height for Sale T-7B building as per Fire NOC dated 10.01.2024 & 14.05.2025 respectively.

3. EC is restricted upto 122.14M of OHT/LA top height as per Civil Aviation dated 30.01.2023.
4. PP to submit the Tree NOC & Water NOC, till then no occupancy be given.
5. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
6. Air Quality Index monitoring to be ensured. Dust suppression measures shall be implemented also considering height of the building. Additional measures to be ensured.
7. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
8. In view of Maharashtra Electric Vehicle Policy, 2025, PP to provide electric vehicle D. C. Charger for 20 % of total parking provided, the number of D. C. Chargers should be worked out as provided in Niti Ayog Handbook of EV charging infrastructure implementation.
9. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA III dt.04.01.2019.
10. SEIAA after deliberation decided to grant EC for-FSI 1,96,803.72 m², Non FSI- 2,17,804.36 m², total BUA 4,14,608.08 m². (Plan approval No. 0070/2008029, dated 28.09.2025) (FSI restricted as per appraisal, Non FSI & TBUA restricted as per approval.)

General Conditions:

a) Construction Phase: -

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.

- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
- IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- X. The Energy Conservation Building code shall be strictly adhered to.
- XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XVIII. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all

proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.

- XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase: -

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space

should be utilized.

- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
- IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
- XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
- XII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIII. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO₂, NO_x (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions: -

- I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA.
- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project

has been started without obtaining environmental clearance.

- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
 - V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
 - VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
 - VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
 5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.
 6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation

and initiate appropriate legal action under Environmental Protection Act, 1986.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.
8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.


Jayashree Bhoj (IAS)
(Member Secretary, SEIAA)

Copy to:

1. Chairman, SEIAA, Mumbai.
2. Secretary, MoEF & CC, IA- Division MOEF & CC
3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
4. Regional Office MoEF & CC, Nagpur
5. District Collector, Mumbai Suburban
6. Commissioner, Brihanmumbai Municipal Corporation (BMC).
7. Regional Officer, Maharashtra Pollution Control Board, Mumbai.

